

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

90284-CN

ID	Weight %	Concentration (mg/mL)		
D9-THC	0.0307	0.284		
THCV	ND	ND		
CBD	5.04	46.6		
CBDV	0.0158	0.146		
CBG	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>		
CBC	0.0604	0.559		
CBN	ND	ND		
THCA	ND	ND		
CBDA	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>		
CBGA	ND	ND		
D8-THC	ND	ND		
exo-THC	ND	ND		
Total	5.16	47.7	0%Cannabinoids (wt%)5.0%	
Max THC	0.0307	0.284	Limit of Quantitation $(LOQ) = 0.0114 \text{ wt\%}$	
Max CBD	5.04	46.6	Limit of Detection (LOD) = 0.0038 wt\%	

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = $(0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LOD), which is one third of LOQ.

Analyst: AEG

Test Date: 12/12/2020

TP: Terpenes Profile [WI-10-27]

Client sample analysis was performed using full evaporative technique (FET) headspace sample delivery and gas chromatographic (GC) compound separation. A combination of flame ionization detection (FID) and/or mass spectrometric (MS) detection with mass spectral confirmation against the National Institute of Standards and Technology (NIST) Mass Spectral Database, Revision 2017 were used. Chromatographic and/or mass spectral data were processed by quantitatively comparing the analytical peak areas against calibration curves prepared from certified reference standards.

90284-TP

Compound	CAS	Conc. (wt%)	Conc. (ppm)	Qualitative Profile
alpha-pinene	80-56-8	0.0270	270	
camphene	79-92-5	0.0008	8.41	
sabinene*	3387-41-5	0.0148	148	
beta-myrcene	123-35-3	0.0318	318	
beta-pinene	127-91-3	0.0391	391	
alpha-phellandrene	99-83-2	ND	ND	
delta-3-carene	13466-78-9	0.0020	19.5	
alpha-terpinene	99-86-5	0.0006	6.03	
alpha-ocimene	502-99-8	0.0023	23.3	
D-limonene	138-86-3	0.322	3,220	
p-cymene	99-87-6	0.0129	129	
cis-beta-ocimene	3338-55-4	0.0046	46.4	
eucalyptol	470-82-6	0.146	1,460	
gamma-terpinene	99-85-4	0.0100	99.7	
terpinolene	586-62-9	0.0014	13.8	
linalool	78-70-6	0.0035	34.7	
L-fenchone*	7787-20-4	ND	ND	
isopulegol	89-79-2	ND	ND	
menthol*	89-78-1	0.216	2,160	
geraniol	106-24-1	ND	ND	
beta-caryophyllene	87-44-5	0.0288	288	
alpha-humulene	6753-98-6	0.0020	19.6	
cis-nerolidol	3790-78-1	ND	ND	
trans-nerolidol	40716-66-3	ND	ND	
guaiol	489-86-1	<rl< td=""><td><rl< td=""><td></td></rl<></td></rl<>	<rl< td=""><td></td></rl<>	
caryophyllene oxide	1139-30-6	0.0016	16.1	
alpha-bisabolol	23089-26-1	0.0008	7.83	
			wt% 0	0.00 0.25 0.50

Total Terpene: 0.9 wt%

* Certified reference standard not available for this compound. Concentration is estimated using the response factor from alpha-pinene. ND = None Detected. RL = Reporting Limit of 5 ppm.

END OF REPORT