

Prepared for:

**Stigma**

2563 Monterey Ave  
Minneapolis, MN USA 55416

## Stigma Lemon THC Gummies

Batch ID or Lot Number: <b>v1</b>	Test: <b>Potency</b>	Reported: <b>20Oct2022</b>	USDA License: N/A
Matrix: Unit	Test ID: T000224331	Started: 14Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 13Oct2022	Status: N/A

### Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.560	1.495	ND	ND	# of Servings = 1, Sample Weight=5.75g
Cannabichromenic Acid (CBCA)	0.512	1.367	ND	ND	
Cannabidiol (CBD)	1.205	4.072	ND	ND	
Cannabidiolic Acid (CBDA)	1.236	4.176	ND	ND	
Cannabidivarin (CBDV)	0.285	0.963	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.516	1.742	ND	ND	
Cannabigerol (CBG)	0.318	0.849	ND	ND	
Cannabigerolic Acid (CBGA)	1.329	3.547	ND	ND	
Cannabinol (CBN)	0.415	1.107	ND	ND	
Cannabinolic Acid (CBNA)	0.907	2.420	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.584	4.226	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.438	3.838	4.780	0.80	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.274	3.400	ND	ND	
Tetrahydrocannabivarin (THCV)	0.289	0.772	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	1.124	2.999	ND	ND	
<b>Total Cannabinoids</b>			<b>4.780</b>	<b>0.83</b>	
Total Potential THC			4.780	0.83	
Total Potential CBD			ND	ND	

### Final Approval



Karen Winternheimer  
20Oct2022  
08:58:00 AM MDT

PREPARED BY / DATE



Sam Smith  
20Oct2022  
09:00:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/cc4d197c-2526-4171-b1ec-287272e29b7e>

**Definitions**  
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

cc4d197c25264171b1ec287272e29b7e.1