

Prepared for:

**Stigma**

2563 Monterey Ave  
Minneapolis, MN USA 55416

## Stigma Rapid Uptake Gummy - Strawberry

Batch ID or Lot Number: <b>STG40-02</b>	Test: <b>Potency</b>	Reported: <b>17Nov2022</b>	USDA License: N/A
Matrix: Unit	Test ID: T000227682	Started: 15Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Nov2022	Status: N/A

### Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.439	1.370	ND	ND	# of Servings = 1, Sample Weight=5.75g
Cannabichromenic Acid (CBCA)	0.401	1.254	ND	ND	
Cannabidiol (CBD)	1.124	3.916	ND	ND	
Cannabidiolic Acid (CBDA)	1.153	4.017	ND	ND	
Cannabidivarin (CBDV)	0.266	0.926	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.481	1.676	ND	ND	
Cannabigerol (CBG)	0.249	0.778	ND	ND	
Cannabigerolic Acid (CBGA)	1.041	3.253	ND	ND	
Cannabinol (CBN)	0.325	1.015	ND	ND	
Cannabinolic Acid (CBNA)	0.710	2.219	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.241	3.875	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.127	3.520	5.440	0.90	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.998	3.118	ND	ND	
Tetrahydrocannabivarin (THCV)	0.227	0.708	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.880	2.750	ND	ND	
<b>Total Cannabinoids</b>			<b>5.440</b>	<b>0.90</b>	
Total Potential THC			5.440	0.90	
Total Potential CBD			ND	ND	

### Final Approval



Karen Winternheimer  
17Nov2022  
12:35:00 PM MST

PREPARED BY / DATE



Sam Smith  
17Nov2022  
12:36:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uiid/73df0cca-79f0-48cb-b8a9-77749e3e80bc>

#### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
73df0cca79f048cbb8a977749e3e80bc.1