

Prepared for:

Stigma

2563 Monterey Ave

Minneapolis, MN USA 55416

Surly x Stigma Take 5 THC Tea - Lemonade

Batch ID or Lot Number: STG42-1.1	Test: Potency	Reported: 15Dec2022	USDA License: N/A
Matrix: Unit	Test ID: T000230814	Started: 15Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Dec2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.193	0.668	ND	ND	# of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.177	0.611	ND	ND	
Cannabidiol (CBD)	0.593	1.776	ND	ND	
Cannabidiolic Acid (CBDA)	0.608	1.822	ND	ND	
Cannabidivarin (CBDV)	0.140	0.420	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.254	0.760	ND	ND	
Cannabigerol (CBG)	0.110	0.379	ND	ND	
Cannabigerolic Acid (CBGA)	0.459	1.586	ND	ND	
Cannabinol (CBN)	0.143	0.495	ND	ND	
Cannabinolic Acid (CBNA)	0.313	1.082	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.547	1.890	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.497	1.716	4.770	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.440	1.521	ND	ND	
Tetrahydrocannabivarin (THCV)	0.100	0.345	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.388	1.341	ND	ND	
Total Cannabinoids			4.770	0.00	
Total Potential THC			4.770	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer

15Dec2022

02:54:00 PM MST

PREPARED BY / DATE



Sam Smith

15Dec2022

02:56:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/dfc34ca3-5b7c-40ed-8973-bf592837cab4>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

dfc34ca35b7c40ed8973bf592837cab4.1