

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416


Stigma Rapid Uptake THC Gummies - Lemon 5mg

Batch ID or Lot Number: STG45-04	Test: Potency	Reported: 10Feb2023	USDA License: N/A
Matrix: Unit	Test ID: T000234281	Started: 08Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Feb2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.470	1.312	ND	ND	# of Servings = 1, Sample Weight=5.75g
Cannabichromenic Acid (CBCA)	0.430	1.200	ND	ND	
Cannabidiol (CBD)	1.270	3.703	ND	ND	
Cannabidiolic Acid (CBDA)	1.303	3.798	ND	ND	
Cannabidivarin (CBDV)	0.300	0.876	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.544	1.584	ND	ND	
Cannabigerol (CBG)	0.267	0.745	ND	ND	
Cannabigerolic Acid (CBGA)	1.116	3.114	ND	ND	
Cannabinol (CBN)	0.348	0.972	ND	ND	
Cannabinolic Acid (CBNA)	0.762	2.125	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.330	3.710	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.208	3.369	5.090	0.90	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.070	2.985	ND	ND	
Tetrahydrocannabivarin (THCV)	0.243	0.678	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.944	2.633	ND	ND	
Total Cannabinoids			5.090	0.90	
Total Potential THC			5.090	0.90	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
10Feb2023
10:53:00 AM MST

PREPARED BY / DATE



Karen Winternheimer
10Feb2023
10:58:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/9db9613e-fbef-4fb7-9b06-61e174c84c35>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
9db9613efbef4fb79b0661e174c84c35.1