

CERTIFICATE OF ANALYSIS

Prepared for:

Stigma

2563 Monterey Ave Minneapolis, MN USA 55416

Stigma RU Chocolate Coffee Squares 5mg

Batch ID or Lot Number:	Test:	Reported:	USDA License:		
STG50-01 RETEST	Potency	21Apr2023	N/A		
Matrix:	Test ID:	Started:	Sampler ID:		
Unit	T000241939	20Apr2023	N/A		
	Method(s):	Received:	Status:		
	TM14 (HPLC-DAD)	20Apr2023	N/A		

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes	
Cannabichromene (CBC)	0.062	0.151	ND	ND # of Servings ND Sample	# of Servings = 1,	
Cannabichromenic Acid (CBCA)	0.056	0.138	ND		•	
Cannabidiol (CBD)	0.163	0.418	ND	ND	Weight=2.86g	
Cannabidiolic Acid (CBDA)	0.167	0.428	ND	ND		
Cannabidivarin (CBDV)	0.039	0.099	ND	ND		
Cannabidivarinic Acid (CBDVA)	0.070	0.179	ND	ND		
Cannabigerol (CBG)	0.035	0.086	ND	ND	-	
Cannabigerolic Acid (CBGA)	0.147	0.358	ND	ND ND ND ND	-	
Cannabinol (CBN)	0.046	0.112	ND			
Cannabinolic Acid (CBNA)	0.100	0.244	ND	ND		
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.175	0.426	ND	ND		
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.159	0.387	5.240	1.80		
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.141	0.343	ND	ND	5	
Tetrahydrocannabivarin (THCV)	0.032	0.078	ND	ND		
Tetrahydrocannabivarinic Acid (THCVA)	0.124	0.302	ND	ND		
Total Cannabinoids			5.240	1.80		
Total Potential THC			5.240	1.80		
Total Potential CBD			ND	ND		

Final Approval

PREPARED BY / DATE

Karen Winternheimer 21Apr2023 09:06:00 AM MDT

æmantha "

Sam Smith 21Apr2023 09:07:00 AM MDT



APPROVED BY / DATE

https://results.botanacor.com/api/v1/coas/uuid/1979a487-33dc-471a-b76d-e0757e89fbdc

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



SC Laboratories, Inc. | © All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.sclabs.com