

## CERTIFICATE OF ANALYSIS

Prepared for:

## Stigma

2563 Monterey Ave Minneapolis, MN USA 55416

## Stigma Lemonade Ice Tea Batch ID or Lot Number: Test: Reported: USDA License: 09/19/2023 Potency 26Sep2023 N/A Matrix: Test ID: Started: Sampler ID: T000256843 Unit 26Sep2023 N/A Received: Status: Method(s): TM14 (HPLC-DAD) 25Sep2023 N/A

Cannabinoids	LOD (mg)	<b>LOQ</b> (mg)	Result (mg)	<b>Result</b> (mg/g)	Notes
Cannabichromene (CBC)	0.164	0.591	ND	ND	2 servings per container. # of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.150	0.540	ND	ND	
Cannabidiol (CBD)	0.599	1.673	ND	ND	
Cannabidiolic Acid (CBDA)	0.614	1.716	ND	ND	
Cannabidivarin (CBDV)	0.142	0.396	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.256	0.716	ND	ND	
Cannabigerol (CBG)	0.093	0.335	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>	
Cannabigerolic Acid (CBGA)	0.388	1.403	ND	ND	
Cannabinol (CBN)	0.121	0.438	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>	
Cannabinolic Acid (CBNA)	0.265	0.957	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.463	1.671	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.420	1.517	10.620	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.372	1.344	ND	ND	
Tetrahydrocannabivarin (THCV)	0.085	0.305	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.328	1.186	ND	ND	
Total Cannabinoids			10.620	0.00	
Total Potential THC			10.620	0.00	
Total Potential CBD			ND	ND	

## **Final Approval**

PREPARED BY / DATE

Samanthe Smoot

Sam Smith 26Sep2023 03:29:00 PM MDT

APPROVED BY / DATE

Karen Winternheimer 26Sep2023 03:47:00 PM MDT



Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



31269dbe726c4b3da34dcf3622b0ac09.1

SC Laboratories, Inc. | © All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.sclabs.com