

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416

Stigma Lemonade Iced Tea

Batch ID or Lot Number: 10/04/2023	Test: Potency	Reported: 12Oct2023	USDA License: N/A
Matrix: Unit	Test ID: T000258212	Started: 11Oct2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Oct2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.180	0.617	ND	ND	Two servings per container. # of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.164	0.565	ND	ND	
Cannabidiol (CBD)	0.566	1.711	ND	ND	
Cannabidiolic Acid (CBDA)	0.580	1.755	ND	ND	
Cannabidivarin (CBDV)	0.134	0.405	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.242	0.732	ND	ND	
Cannabigerol (CBG)	0.102	0.351	ND	ND	
Cannabigerolic Acid (CBGA)	0.427	1.465	ND	ND	
Cannabinol (CBN)	0.133	0.457	ND	ND	
Cannabinolic Acid (CBNA)	0.291	1.000	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.508	1.746	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.461	1.586	10.550	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.409	1.405	ND	ND	
Tetrahydrocannabivarin (THCV)	0.093	0.319	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.361	1.239	ND	ND	
Total Cannabinoids			10.550	0.00	
Total Potential THC			10.550	0.00	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
12Oct2023
08:38:00 AM MDT

PREPARED BY / DATE



Karen Winternheimer
12Oct2023
08:41:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e5adabc0-21c7-4856-a7d8-1e745359a749>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02

e5adabc021c74856a7d81e745359a749.1