

Prepared for:

**Stigma**

2563 Monterey Ave  
Minneapolis, MN USA 55416

## Stigma Club Soda

Batch ID or Lot Number: <b>STG58-02</b>	Test: <b>Potency</b>	Reported: <b>02Jan2024</b>	USDA License: N/A
Matrix: Unit	Test ID: T000266164	Started: 28Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Dec2023	Status: N/A

## Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.230	0.619	ND	ND	# of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.210	0.566	ND	ND	
Cannabidiol (CBD)	0.659	1.693	ND	ND	
Cannabidiolic Acid (CBDA)	0.676	1.736	ND	ND	
Cannabidivarin (CBDV)	0.156	0.400	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.282	0.724	ND	ND	
Cannabigerol (CBG)	0.130	0.351	ND	ND	
Cannabigerolic Acid (CBGA)	0.545	1.469	ND	ND	
Cannabinol (CBN)	0.170	0.458	ND	ND	
Cannabinolic Acid (CBNA)	0.372	1.002	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.649	1.750	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.590	1.589	10.860	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.522	1.408	ND	ND	
Tetrahydrocannabivarin (THCV)	0.119	0.320	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.461	1.242	ND	ND	
<b>Total Cannabinoids</b>			<b>10.860</b>	<b>0.00</b>	
Total Potential THC			10.860	0.00	
Total Potential CBD			ND	ND	

## Final Approval



Sam Smith  
02Jan2024  
03:09:00 PM MST

PREPARED BY / DATE



Karen Winternheimer  
02Jan2024  
03:15:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/57d41b34-c610-48e5-96a3-a6b71b5f5e53>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

57d41b34c61048e596a3a6b71b5f5e53.1