

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416


Stigma Lemonade Iced Tea

Batch ID or Lot Number: STG57-03 12/08/2023	Test: Potency	Reported: 13Dec2023	USDA License: N/A
Matrix: Unit	Test ID: T000264242	Started: 11Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 11Dec2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.175	0.603	ND	ND	# of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.160	0.551	ND	ND	
Cannabidiol (CBD)	0.588	1.678	ND	ND	
Cannabidiolic Acid (CBDA)	0.603	1.721	ND	ND	
Cannabidivarin (CBDV)	0.139	0.397	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.252	0.718	ND	ND	
Cannabigerol (CBG)	0.099	0.342	ND	ND	
Cannabigerolic Acid (CBGA)	0.416	1.431	ND	ND	
Cannabinol (CBN)	0.130	0.447	ND	ND	
Cannabinolic Acid (CBNA)	0.283	0.976	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.495	1.705	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.450	1.548	11.000	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.398	1.372	ND	ND	
Tetrahydrocannabivarin (THCV)	0.090	0.311	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.351	1.210	ND	ND	
Total Cannabinoids			11.000	0.00	
Total Potential THC			11.000	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
13Dec2023
09:50:00 AM MST

PREPARED BY / DATE



Sam Smith
13Dec2023
09:53:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c1b5f3ad-0e30-46b0-81f6-207c57a2813a>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
c1b5f3ad0e3046b081f6207c57a2813a.1