

Prepared for:

**Stigma**

2563 Monterey Ave  
Minneapolis, MN USA 55416

## Stigma Sleep Gummies

Batch ID or Lot Number: <b>STG46-02</b>	Test: <b>Residual Solvents</b>	Reported: <b>10Dec2023</b>	USDA License: N/A
Matrix: Finished Product	Test ID: T000264243	Started: 08Dec2023	Sampler ID: N/A
	Method(s): TM04 (GC-MS): Residual Solvents	Received: 07Dec2023	Status: Active

Residual Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	120 - 2392	ND	
Butanes (Isobutane, n-Butane)	226 - 4517	ND	
Methanol	67 - 1347	ND	
Pentane	115 - 2292	ND	
Ethanol	108 - 2164	ND	
Acetone	109 - 2186	ND	
Isopropyl Alcohol	110 - 2201	ND	
Hexane	7 - 139	ND	
Ethyl Acetate	111 - 2214	ND	
Benzene	0.2 - 4.3	ND	
Heptanes	112 - 2231	ND	
Toluene	19 - 380	ND	
Xylenes (m,p,o-Xylenes)	132 - 2648	ND	

## Final Approval



Karen Winternheimer  
10Dec2023  
08:38:00 AM MST

PREPARED BY / DATE



Sam Smith  
10Dec2023  
09:01:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/fe6d3755-abdc-4670-b277-a1eef75e3214>

### Definitions

ND = None Detected (defined by dynamic range of the method)  
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02  
fe6d3755abdc4670b277a1eef75e3214.2