

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416


Stigma Chocolate Coffee Squares


Batch ID or Lot Number: STG50-02	Test: Potency	Reported: 17Oct2023	USDA License: N/A
Matrix: Unit	Test ID: T000259120	Started: 17Oct2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 16Oct2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.049	0.162	ND	ND	# of Servings = 1, Sample Weight=2.86g
Cannabichromenic Acid (CBCA)	0.045	0.149	ND	ND	
Cannabidiol (CBD)	0.148	0.420	ND	ND	
Cannabidiolic Acid (CBDA)	0.152	0.430	ND	ND	
Cannabidivarin (CBDV)	0.035	0.099	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.063	0.179	ND	ND	
Cannabigerol (CBG)	0.028	0.092	ND	ND	
Cannabigerolic Acid (CBGA)	0.116	0.385	ND	ND	
Cannabinol (CBN)	0.036	0.120	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.079	0.263	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.138	0.459	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.125	0.417	5.110	1.80	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.111	0.370	ND	ND	
Tetrahydrocannabivarin (THCV)	0.025	0.084	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.098	0.326	ND	ND	
Total Cannabinoids			5.110	1.80	
Total Potential THC			5.110	1.80	
Total Potential CBD			ND	ND	

Final Approval


PREPARED BY / DATE
Sam Smith
17Oct2023
12:53:00 PM MDT


APPROVED BY / DATE
Karen Winternheimer
17Oct2023
12:58:00 PM MDT



<https://results.botanacor.com/api/v1/coas/uuid/ef1a6602-1c68-4e57-b45b-79662a7bf0bf>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
ef1a66021c684e57b45b79662a7bf0bf.1