

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416

Stigma Ice Tea Lemonade

Batch ID or Lot Number: STG57-03	Test: Potency	Reported: 02Feb2024	USDA License: N/A
Matrix: Unit	Test ID: T000270022	Started: 01Feb2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Feb2024	Status: N/A

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.251	0.669	ND	ND	# of Servings = 2, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.229	0.612	ND	ND	
Cannabidiol (CBD)	0.658	1.742	ND	ND	
Cannabidiolic Acid (CBDA)	0.675	1.787	ND	ND	
Cannabidivarin (CBDV)	0.156	0.412	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.282	0.745	ND	ND	
Cannabigerol (CBG)	0.142	0.380	ND	ND	
Cannabigerolic Acid (CBGA)	0.595	1.589	ND	ND	
Cannabinol (CBN)	0.186	0.496	ND	ND	
Cannabinolic Acid (CBNA)	0.406	1.084	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.709	1.893	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.644	1.719	10.600	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.571	1.523	ND	ND	
Tetrahydrocannabivarin (THCV)	0.130	0.346	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.503	1.343	ND	ND	
Total Cannabinoids			10.600	0.00	
Total Potential THC			10.600	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
02Feb2024
08:54:00 AM MST

PREPARED BY / DATE



Sam Smith
02Feb2024
08:55:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f1cf95da-b303-450c-8160-11679dc489b1>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
f1cf95dab303450c816011679dc489b1.1