

Prepared for:

**Stigma**

2563 Monterey Ave  
Minneapolis, MN USA 55416

## Stigma Lime Seltzer

Batch ID or Lot Number: <b>STG70-01</b>	Test: <b>Potency</b>	Reported: <b>02Feb2024</b>	USDA License: N/A
Matrix: Unit	Test ID: T000270101	Started: <b>01Feb2024</b>	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Feb2024	Status: N/A

## Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.198	0.644	ND	ND	# of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.181	0.589	ND	ND	
Cannabidiol (CBD)	0.597	1.712	ND	ND	
Cannabidiolic Acid (CBDA)	0.612	1.755	ND	ND	
Cannabidivarin (CBDV)	0.141	0.405	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.255	0.732	ND	ND	
Cannabigerol (CBG)	0.112	0.366	ND	ND	
Cannabigerolic Acid (CBGA)	0.469	1.530	ND	ND	
Cannabinol (CBN)	0.146	0.477	ND	ND	
Cannabinolic Acid (CBNA)	0.320	1.044	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.559	1.822	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.507	1.655	10.774	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.449	1.466	ND	ND	
Tetrahydrocannabivarin (THCV)	0.102	0.333	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.396	1.293	ND	ND	
<b>Total Cannabinoids</b>			<b>10.774</b>	<b>0.00</b>	
Total Potential THC			10.774	0.00	
Total Potential CBD			ND	ND	

## Final Approval



Karen Winterheimer  
02Feb2024  
09:01:00 AM MST

PREPARED BY / DATE



Sam Smith  
02Feb2024  
09:02:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2f6c163d-b8a5-498f-aba7-720c4081452a>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02  
2f6c163db8a5498faba7720c4081452a.1