

Prepared for:

Stigma2563 Monterey Ave
Minneapolis, MN USA 55416**Stigma Session Lime Seltzer**

Batch ID or Lot Number: STG65-01	Test: Potency	Reported: 02Feb2024	USDA License: N/A
Matrix: Unit	Test ID: T000270063	Started: 02Feb2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Feb2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.154	0.528	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.141	0.483	ND	ND	
Cannabidiol (CBD)	0.445	1.191	5.061	0.00	
Cannabidiolic Acid (CBDA)	0.457	1.222	ND	ND	
Cannabidivarin (CBDV)	0.105	0.282	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.190	0.510	ND	ND	
Cannabigerol (CBG)	0.088	0.300	ND	ND	
Cannabigerolic Acid (CBGA)	0.366	1.254	ND	ND	
Cannabinol (CBN)	0.114	0.391	ND	ND	
Cannabinolic Acid (CBNA)	0.250	0.855	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.437	1.494	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.397	1.356	5.189	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.351	1.202	ND	ND	
Tetrahydrocannabivarin (THCV)	0.080	0.273	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.310	1.060	ND	ND	
Total Cannabinoids			10.250	0.00	
Total Potential THC			5.189	0.00	
Total Potential CBD			5.061	0.00	

Final ApprovalSam Smith
02Feb2024
10:33:00 AM MST

PREPARED BY / DATE

Karen Winterheimer
02Feb2024
10:39:00 AM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/e959e361-e135-43a3-81d0-26639eddf915>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.

Cert #4329.02
e959e361e13543a381d026639eddf915.1