

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416

Stigma Peach Iced Tea

Batch ID or Lot Number: STG69-01	Test: Potency	Reported: 08Mar2024	USDA License: N/A
Matrix: Unit	Test ID: T000273164	Started: 08Mar2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Mar2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.179	0.585	ND	ND	# of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.163	0.535	ND	ND	
Cannabidiol (CBD)	0.596	1.669	ND	ND	
Cannabidiolic Acid (CBDA)	0.611	1.712	ND	ND	
Cannabidivarin (CBDV)	0.141	0.395	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.255	0.714	ND	ND	
Cannabigerol (CBG)	0.101	0.332	ND	ND	
Cannabigerolic Acid (CBGA)	0.424	1.388	ND	ND	
Cannabinol (CBN)	0.132	0.433	ND	ND	
Cannabinolic Acid (CBNA)	0.289	0.947	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.505	1.653	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.459	1.501	9.720	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.406	1.330	ND	ND	
Tetrahydrocannabivarin (THCV)	0.092	0.302	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.358	1.173	ND	ND	
Total Cannabinoids			9.720	0.00	
Total Potential THC			9.720	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
08Mar2024
03:23:00 PM MST

PREPARED BY / DATE



Phillip Travisano
08Mar2024
03:26:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/a8c82f2a-d669-42ba-9899-77f63533ca1e>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

a8c82f2ad66942ba989977f63533ca1e.1