

Prepared for:

Stigma


2563 Monterey Ave
Minneapolis, MN USA 55416

Stigma Session Lemonade Tea

Batch ID or Lot Number: STG63-01	Test: Potency	Reported: 22Nov2023	USDA License: N/A
Matrix: Unit	Test ID: T000261696	Started: 21Nov2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 20Nov2023	Status: N/A

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.144	0.525	ND	ND	# of Servings = 1, Sample Weight=354g
Cannabichromenic Acid (CBCA)	0.132	0.480	ND	ND	
Cannabidiol (CBD)	0.505	1.263	5.006	0.00	
Cannabidiolic Acid (CBDA)	0.518	1.295	ND	ND	
Cannabidivarin (CBDV)	0.119	0.299	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.216	0.540	ND	ND	
Cannabigerol (CBG)	0.082	0.298	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.342	1.247	ND	ND	
Cannabinol (CBN)	0.107	0.389	ND	ND	
Cannabinolic Acid (CBNA)	0.234	0.851	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.408	1.485	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.370	1.349	4.970	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.328	1.195	ND	ND	
Tetrahydrocannabivarin (THCV)	0.074	0.271	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.289	1.054	ND	ND	
Total Cannabinoids			9.976	0.00	
Total Potential THC			4.970	0.00	
Total Potential CBD			5.006	0.00	

Final Approval



Sam Smith
22Nov2023
02:43:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
22Nov2023
02:49:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ba4aa8ba-84c5-4bff-8c53-8012a400037f>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
ba4aa8ba84c54bff8c538012a400037f.1