

Prepared for:

**Stigma**

2563 Monterey Ave  
Minneapolis, MN USA 55416

## Stigma Lemonade Iced Tea

Batch ID or Lot Number: <b>STG57-03</b>	Test: <b>Potency</b>	Reported: <b>26Mar2024</b>	USDA License: N/A
Matrix: Unit	Test ID: T000274267	Started: 25Mar2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 22Mar2024	Status: N/A

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.212	0.642	ND	ND	# of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.194	0.587	ND	ND	
Cannabidiol (CBD)	0.637	1.714	ND	ND	
Cannabidiolic Acid (CBDA)	0.653	1.758	ND	ND	
Cannabidivarin (CBDV)	0.151	0.405	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.273	0.733	ND	ND	
Cannabigerol (CBG)	0.120	0.364	ND	ND	
Cannabigerolic Acid (CBGA)	0.503	1.523	ND	ND	
Cannabinol (CBN)	0.157	0.475	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.343	1.039	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.599	1.815	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.544	1.648	9.910	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.482	1.460	ND	ND	
Tetrahydrocannabivarin (THCV)	0.109	0.331	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.425	1.288	ND	ND	
<b>Total Cannabinoids</b>			<b>9.910</b>	<b>0.00</b>	
Total Potential THC			9.910	0.00	
Total Potential CBD			ND	ND	

## Final Approval



Karen Winternheimer  
26Mar2024  
11:50:00 AM MDT

PREPARED BY / DATE



Phillip Travisano  
26Mar2024  
11:51:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/0b2ca313-3d51-4c24-accb-1d496560bf1b>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02  
0b2ca3133d514c24accb1d496560bf1b.1