

Prepared for:

**Stigma**

2563 Monterey Ave  
Minneapolis, MN USA 55416

## Stigma Lime Seltzer

Batch ID or Lot Number: <b>STG70-01</b>	Test: <b>Potency</b>	Reported: <b>19Mar2024</b>	USDA License: N/A
Matrix: Unit	Test ID: T000274255	Started: 18Mar2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Mar2024	Status: N/A

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.203	0.661	ND	ND	# of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.185	0.604	ND	ND	
Cannabidiol (CBD)	0.579	1.707	ND	ND	
Cannabidiolic Acid (CBDA)	0.593	1.751	ND	ND	
Cannabidivarin (CBDV)	0.137	0.404	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.248	0.730	ND	ND	
Cannabigerol (CBG)	0.115	0.375	ND	ND	
Cannabigerolic Acid (CBGA)	0.481	1.569	ND	ND	
Cannabinol (CBN)	0.150	0.490	ND	ND	
Cannabinolic Acid (CBNA)	0.328	1.070	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.573	1.869	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.521	1.697	9.400	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.461	1.504	ND	ND	
Tetrahydrocannabivarin (THCV)	0.105	0.341	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.407	1.326	ND	ND	
<b>Total Cannabinoids</b>			<b>9.400</b>	<b>0.00</b>	
Total Potential THC			9.400	0.00	
Total Potential CBD			ND	ND	

## Final Approval



Karen Winternheimer  
19Mar2024  
11:11:00 AM MDT

PREPARED BY / DATE



Phillip Travisano  
19Mar2024  
11:13:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5653f800-5e9a-4054-980e-0e2c6be752f5>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02  
5653f8005e9a4054980e0e2c6be752f5.1