

Prepared for:

**Stigma**

2563 Monterey Ave  
Minneapolis, MN USA 55416

## Stigma Lime Seltzer

Batch ID or Lot Number: <b>STG75-01</b>	Test: <b>Potency</b>	Reported: <b>20May2024</b>	USDA License: N/A
Matrix: Unit	Test ID: T000280860	Started: 17May2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 16May2024	Status: N/A

## Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.156	0.508	ND	ND	# of Servings = 1, Sample Weight=354g
Cannabichromenic Acid (CBCA)	0.143	0.465	ND	ND	
Cannabidiol (CBD)	0.457	1.379	<LOQ	<LOQ	
Cannabidiolic Acid (CBDA)	0.468	1.415	ND	ND	
Cannabidivarin (CBDV)	0.108	0.326	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.195	0.590	ND	ND	
Cannabigerol (CBG)	0.088	0.288	ND	ND	
Cannabigerolic Acid (CBGA)	0.370	1.206	ND	ND	
Cannabinol (CBN)	0.115	0.376	ND	ND	
Cannabinolic Acid (CBNA)	0.252	0.823	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.441	1.436	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.400	1.305	10.880	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.354	1.156	ND	ND	
Tetrahydrocannabivarin (THCV)	0.080	0.262	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.313	1.020	ND	ND	
<b>Total Cannabinoids</b>			<b>10.880</b>	<b>0.00</b>	
Total Potential THC			10.880	0.00	
Total Potential CBD			0.000	0.00	

## Final Approval



Karen Winternheimer  
20May2024  
09:21:00 AM MDT

PREPARED BY / DATE



Sam Smith  
20May2024  
09:26:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ffd6e5c1-32a6-4068-a080-07df3d97b945>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

ffd6e5c132a64068a08007df3d97b945.1