

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416


Stigma Lemonade Iced Tea

Batch ID or Lot Number: STG57-03	Test: Potency	Reported: 05Jun2024	USDA License: N/A
Matrix: Unit	Test ID: T000282524	Started: 04Jun2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 03Jun2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.173	0.651	ND	ND	# of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.158	0.596	ND	ND	
Cannabidiol (CBD)	0.640	1.665	ND	ND	
Cannabidiolic Acid (CBDA)	0.656	1.708	ND	ND	
Cannabidivarin (CBDV)	0.151	0.394	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.274	0.713	ND	ND	
Cannabigerol (CBG)	0.098	0.370	ND	ND	
Cannabigerolic Acid (CBGA)	0.411	1.546	ND	ND	
Cannabinol (CBN)	0.128	0.482	ND	ND	
Cannabinolic Acid (CBNA)	0.281	1.055	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.490	1.842	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.445	1.673	10.080	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.394	1.482	ND	ND	
Tetrahydrocannabivarin (THCV)	0.089	0.336	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.348	1.307	ND	ND	
Total Cannabinoids			10.080	0.00	
Total Potential THC			10.080	0.00	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
05Jun2024
02:08:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
05Jun2024
02:09:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c1939960-0603-4072-a53f-1d0c0ac66e6c>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
c193996006034072a53f1d0c0ac66e6c.1