

Prepared for:

**Stigma**

2563 Monterey Ave  
Minneapolis, MN USA 55416

## Stigma Peach Iced Tea

Batch ID or Lot Number: <b>STG69-01</b>	Test: <b>Potency</b>	Reported: <b>03Jun2024</b>	USDA License: N/A
Matrix: Unit	Test ID: T000282273	Started: 31May2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 30May2024	Status: N/A

## Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.188	0.623	ND	ND	# of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.172	0.570	ND	ND	
Cannabidiol (CBD)	0.589	1.694	ND	ND	
Cannabidiolic Acid (CBDA)	0.604	1.738	ND	ND	
Cannabidivarin (CBDV)	0.139	0.401	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.252	0.725	ND	ND	
Cannabigerol (CBG)	0.107	0.354	ND	ND	
Cannabigerolic Acid (CBGA)	0.447	1.479	ND	ND	
Cannabinol (CBN)	0.140	0.462	ND	ND	
Cannabinolic Acid (CBNA)	0.305	1.009	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.533	1.762	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.484	1.601	9.840	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.429	1.418	ND	ND	
Tetrahydrocannabivarin (THCV)	0.097	0.322	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.378	1.251	ND	ND	
<b>Total Cannabinoids</b>			<b>9.840</b>	<b>0.00</b>	
Total Potential THC			9.840	0.00	
Total Potential CBD			ND	ND	

## Final Approval



Karen Winternheimer  
03Jun2024  
12:45:00 PM MDT

PREPARED BY / DATE



Sam Smith  
03Jun2024  
12:46:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e74023ff-4ffe-4997-bc02-e176ca8dd379>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02  
e74023ff4ffe4997bc02e176ca8dd379.1