

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416

Stigma Lemonade Iced Tea

Batch ID or Lot Number: STG73-01	Test: Potency	Reported: 16Aug2024	USDA License: N/A
Matrix: Unit	Test ID: T000288855	Started: 13Aug2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 13Aug2024	Status: N/A

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.156	0.509	ND	ND	# of Servings = 1, Sample Weight=354g
Cannabichromenic Acid (CBCA)	0.143	0.465	ND	ND	
Cannabidiol (CBD)	0.457	1.381	<LOQ	<LOQ	
Cannabidiolic Acid (CBDA)	0.469	1.416	ND	ND	
Cannabidivarin (CBDV)	0.108	0.327	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.196	0.591	ND	ND	
Cannabigerol (CBG)	0.089	0.289	ND	ND	
Cannabigerolic Acid (CBGA)	0.370	1.207	ND	ND	
Cannabinol (CBN)	0.116	0.377	ND	ND	
Cannabinolic Acid (CBNA)	0.253	0.824	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.441	1.438	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.401	1.306	10.400	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.355	1.157	ND	ND	
Tetrahydrocannabivarin (THCV)	0.081	0.263	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.313	1.021	ND	ND	
Total Cannabinoids			10.400	0.00	
Total Potential THC			10.400	0.00	
Total Potential CBD			0.000	0.00	

Final Approval



Karen Winternheimer
16Aug2024
09:21:00 AM MDT

PREPARED BY / DATE



Sam Smith
16Aug2024
09:26:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/25940812-82a1-4d7e-823f-432a5e461c43>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
2594081282a14d7e823f432a5e461c43.1