

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416

Stigma Peach Iced Tea

Batch ID or Lot Number: STG74-01	Test: Potency	Reported: 11Aug2024	USDA License: N/A
Matrix: Unit	Test ID: T000281288	Started: 08Aug2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Aug2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.139	0.459	ND	ND	# of Servings = 1, Sample Weight=354g
Cannabichromenic Acid (CBCA)	0.128	0.419	ND	ND	
Cannabidiol (CBD)	0.443	1.263	<LOQ	<LOQ	
Cannabidiolic Acid (CBDA)	0.454	1.295	ND	ND	
Cannabidivarin (CBDV)	0.105	0.299	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.190	0.540	ND	ND	
Cannabigerol (CBG)	0.079	0.260	ND	ND	
Cannabigerolic Acid (CBGA)	0.331	1.088	ND	ND	
Cannabinol (CBN)	0.103	0.340	ND	ND	
Cannabinolic Acid (CBNA)	0.226	0.743	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.394	1.297	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.358	1.177	9.540	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.317	1.043	ND	ND	
Tetrahydrocannabivarin (THCV)	0.072	0.237	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.280	0.920	ND	ND	
Total Cannabinoids			9.540	0.00	
Total Potential THC			9.540	0.00	
Total Potential CBD			0.000	0.00	

Final Approval



Karen Winternheimer
11Aug2024
10:33:00 AM MDT

PREPARED BY / DATE



Sam Smith
11Aug2024
10:37:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/17db4b90-a3c1-4436-8288-62b9427990e4>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
17db4b90a3c14436828862b9427990e4.1