

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416

Stigma Session Lemonade Iced Tea

Batch ID or Lot Number: STG65-01	Test: Potency	Reported: 27Aug2024	USDA License: N/A
Matrix: Unit	Test ID: T000265866	Started: 24Aug2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Aug2024	Status: N/A

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.179	0.474	ND	ND	# of Servings = 1, Sample Weight=354g
Cannabichromenic Acid (CBCA)	0.164	0.433	ND	ND	
Cannabidiol (CBD)	0.423	1.270	4.790	0.00	
Cannabidiolic Acid (CBDA)	0.434	1.302	ND	ND	
Cannabidivarin (CBDV)	0.100	0.300	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.181	0.543	ND	ND	
Cannabigerol (CBG)	0.102	0.269	ND	ND	
Cannabigerolic Acid (CBGA)	0.426	1.124	ND	ND	
Cannabinol (CBN)	0.133	0.351	ND	ND	
Cannabinolic Acid (CBNA)	0.290	0.767	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.507	1.339	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.460	1.216	4.900	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.408	1.078	ND	ND	
Tetrahydrocannabivarin (THCV)	0.093	0.245	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.360	0.951	ND	ND	
Total Cannabinoids			9.690	0.00	
Total Potential THC			4.900	0.00	
Total Potential CBD			4.790	0.00	

Final Approval



Karen Winternheimer
27Aug2024
11:56:00 AM MDT

PREPARED BY / DATE



Phillip Travisano
27Aug2024
11:57:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/3ce7d626-33bd-4a2c-b834-48dd6be2a0ba>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
3ce7d62633bd4a2cb83448dd6be2a0bc.1