

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416

Stigma Session Peach Tea

Batch ID or Lot Number: STG64-01	Test: Potency	Reported: 17Apr2024	USDA License: N/A
Matrix: Unit	Test ID: T000277163	Started: 15Apr2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Apr2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.176	0.477	ND	ND	# of Servings = 1, Sample Weight=354g
Cannabichromenic Acid (CBCA)	0.161	0.437	ND	ND	
Cannabidiol (CBD)	0.399	1.298	5.440	0.00	
Cannabidiolic Acid (CBDA)	0.409	1.332	ND	ND	
Cannabidivarin (CBDV)	0.094	0.307	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.171	0.556	ND	ND	
Cannabigerol (CBG)	0.100	0.271	ND	ND	
Cannabigerolic Acid (CBGA)	0.417	1.133	ND	ND	
Cannabinol (CBN)	0.130	0.354	ND	ND	
Cannabinolic Acid (CBNA)	0.285	0.773	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.497	1.350	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.452	1.226	5.020	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.400	1.086	ND	ND	
Tetrahydrocannabivarin (THCV)	0.091	0.247	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.353	0.958	ND	ND	
Total Cannabinoids			10.460	0.00	
Total Potential THC			5.020	0.00	
Total Potential CBD			5.440	0.00	

Final Approval



Karen Winternheimer
17Apr2024
12:29:00 PM MDT

PREPARED BY / DATE



Phillip Travisano
17Apr2024
12:31:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/581922d4-445d-48b2-8b34-29efae524a1d>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
581922d4445d48b28b3429efae524a1d.1