

Stigma Club Soda10mg/16oz

Sample ID: 2510FLC0683.4458
 Strain: Stigma Club Soda

Matrix: Ingestible
 Type: Beverage

Total Sample Weight: 1 units; Batch: 470.337 g

Informational Use Only - Not For Regulatory Use

Received: 10/17/2025 Retail Batch Creation Date: Processed Cultivated
 Completed: 10/21/2025 09/18/2025 Minneapolis Minneapolis
 Batch#: STG70 Field Sampler One:
 Lot ID: STG70 Field Sampler Two:

Client
Stigma Inc
 Lic. #: 1289
 Minneapolis

General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.



Summary

Test	Analyst ID / Prep ID	Prep Date/Time	Analyzed Date/Time	Result
Cannabinoids	51388 / 51388	10/17/2025 16:30	10/18/2025 2:07	Complete
Residual Solvents	51388 / 51388	10/17/2025 17:50	10/18/2025 16:03	Pass
Microbials	45110 / 51399	10/17/2025 10:20	10/20/2025 11:00	Pass
Mycotoxins	45114 / 45117	10/18/2025 11:15	10/19/2025 14:59	Pass
Pesticides LC	45114 / 45117	10/18/2025 11:15	10/19/2025 14:59	Pass
Pesticides GC	45114 / 45117	10/18/2025 11:15	10/19/2025 9:55	Pass
Heavy Metals	51387 / 45113	10/17/2025 14:30	10/18/2025 14:52	Pass

Cannabinoids

Complete

9.88 mg/container Total THC	ND Total CBD	9.88 mg/container Total Cannabinoids
0.00210% Total THC	ND Total CBD	0.00210% Total Cannabinoids

Analyte	Dilution	LOD	LOQ	Result	Result	Result
		mg/container	mg/container	mg/container	%	mg/unit
THCa	1	94.1	235	ND	ND	ND
Δ9-THC	1	94.1	94.1	9.88	0.00210	9.88
Δ8-THC	1	94.1	235	ND	ND	ND
THCVa	1	94.1	235	ND	ND	ND
THCV	1	94.1	235	ND	ND	ND
CBDa	1	94.1	235	ND	ND	ND
CBD	1	94.1	235	ND	ND	ND
CBDVa	1	94.1	235	ND	ND	ND
CBDV	1	94.1	235	ND	ND	ND
CBNa	1	94.1	235	ND	ND	ND
CBN	1	94.1	235	ND	ND	ND
CBGa	1	94.1	235	ND	ND	ND
CBG	1	94.1	235	ND	ND	ND
CBC	1	94.1	235	ND	ND	ND
CBL	1	94.1	235	ND	ND	ND
Total THC				9.88	0.00210	9.88
Total CBD				ND	ND	ND
Total CBN				NR	NR	NR
Total				9.88	0.00210	9.88

Weight: 430.377 ; Instrument Batch ID: 251017CPB

1 Container = 470.340g; 1 servings per container; 9.9 mg THC per container
 Total CBD = [CBDA * 0.877] + CBD; Total THC = [THCa * 0.877] + d9THC; Cannabinoids
 method: TM-111 Cannabinoid Potency Quantitation-By HPLC
 Filth and foreign Material method: TM 107 Cannabis Foreign Matter Testing
 Water Activity method: TM-106 Cannabis Water Activity-By HC2-AW Water Activity Meter
 Moisture method: TM-105 Cannabis Moisture Analysis- By Lab Oven and Moisture Analyzer




 Daniel Vorjsek
 Laboratory Director

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



This product has been tested by Florida Cannalytics, LLC, (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample, as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM.S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA, and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

Stigma Club Soda10mg/16oz

Sample ID: 2510FLC0683.4458
 Strain: Stigma Club Soda

Matrix: Ingestible
 Type: Beverage

Total Sample Weight: 1 units; Batch: 470.337 g

Informational Use Only - Not For Regulatory Use

Received: 10/17/2025 Retail Batch Creation Date: Processed Cultivated
 Completed: 10/21/2025 09/18/2025 Minneapolis Minneapolis
 Batch#: STG70 Field Sampler One:
 Lot ID: STG70 Field Sampler Two: Minneapolis

Client
Stigma Inc
 Lic. #: 1289

General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.

Microbials

Pass

Analyte	LOD CFU/g	LOQ CFU/g	Limit CFU/g	Result CFU/g	Status
Aspergillus flavus			0.9	Not Present in 1g	Pass
Aspergillus fumigatus			0.9	Not Present in 1g	Pass
Aspergillus niger			0.9	Not Present in 1g	Pass
Aspergillus terreus			0.9	Not Present in 1g	Pass
Salmonella SPP			0.9	Not Present in 1g	Pass
Shiga Toxin E. Coli			0.9	Not Present in 1g	Pass
Yeast & Mold	10.000	100.000	100000	ND	Pass

Weight: 0.353; Instrument Batch ID: 251017MBA

Date Tested: 10/20/2025

Microbiology methods: TM-112 qPCR Microbiology Procedure; TM-101 Method for TYMC in Cannabis Matrices by plating; TM 114 for Aspergillus spp. plating; TM115 for

Salmonella spp. plating; TM116 for E. Coli plating.

Aspergillus result is comprised of the four subspecies Flavus, Fumigatus, Niger, and Terreus.

LOD/LOQ for TYMC is based on plating methodology TM101.

Mycotoxins

Pass

Analyte	Dilution	LOD PPB	LOQ PPB	Limit PPB	Result PPB	Status
B1	20	0.0830	4.00	20	ND	Pass
B2	20	0.0830	4.00	20	ND	Pass
G1	20	0.0830	4.00	20	ND	Pass
G2	20	0.0830	4.00	20	ND	Pass
Total Aflatoxins	20	0.0830	4.00	20	ND	Pass
Ochratoxin A	20	0.0830	4.00	20	ND	Pass

Weight: 0.49; Instrument Batch ID: 251017PMC

Date Tested: 10/19/2025

Mycotoxins method: TM 100 Pesticide Residue and Mycotoxin Analysis by LC-MSMS and GC-MSMS

Heavy Metals

Pass

Analyte	Dilution	LOD PPB	LOQ PPB	Limit PPB	Result PPB	Status
Arsenic	200	150	300	1500	<LOD	Pass
Cadmium	200	50.0	100	500	<LOD	Pass
Lead	200	50.0	100	500	<LOD	Pass
Mercury	200	300	600	3000	ND	Pass

Weight: 1; Instrument Batch ID: 251018HMA

Date Tested: 10/18/2025

Metals method: TM-104 Heavy Metal Analysis by ICP-MS

Total Contaminant Load: 0 ppm




 Daniel Vorjsek
 Laboratory Director

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



This product has been tested by Florida Cannalytics, LLC (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample, as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM.S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA, and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

Stigma Club Soda10mg/16oz

Sample ID: 2510FLC0683.4458
 Strain: Stigma Club Soda

Matrix: Ingestible
 Type: Beverage

Total Sample Weight: 1 units; Batch: 470.337 g

Informational Use Only - Not For Regulatory Use

Received: 10/17/2025 Retail Batch Creation Date: Processed Cultivated
 Completed: 10/21/2025 09/18/2025 Minneapolis Minneapolis
 Batch#: STG70 Field Sampler One:
 Lot ID: STG70 Field Sampler Two:

Client
Stigma Inc
 Lic #: 1289
 Minneapolis

General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.

Pesticides

Pass

Analyte	Dilution	LOD	LOQ	Limit	Result	Status	Analyte	Dilution	LOD	LOQ	Limit	Result	Status
		PPM	PPM	PPM	PPM				PPM	PPM	PPM	PPM	
Abamectin	40	0.00800	0.0200	0.3	ND	Pass	Fludioxonil	40	0.00800	0.0200	3	ND	Pass
Acephate	40	0.00800	0.0200	3	ND	Pass	Hexythiazox	40	0.00800	0.0200	2	ND	Pass
Acequinocyl	40	0.00800	0.0200	2	ND	Pass	Imazalil	40	0.00800	0.0200	0.1	ND	Pass
Acetamiprid	40	0.00800	0.0200	3	ND	Pass	Imidacloprid	40	0.00800	0.0800	3	ND	Pass
Aldicarb	40	0.00800	0.0200	0.1	ND	Pass	Kresoxim Methyl	40	0.00800	0.0200	1	ND	Pass
Azoxystrobin	40	0.00800	0.0200	3	ND	Pass	Malathion	40	0.00800	0.0400	2	ND	Pass
Bifenazate	40	0.00800	0.0200	3	ND	Pass	Metalaxyl	40	0.00800	0.0200	3	<LOQ	Pass
Bifenthrin	40	0.00800	0.0200	0.5	ND	Pass	Methiocarb	40	0.00800	0.0200	0.1	ND	Pass
Boscalid	40	0.00800	0.0200	3	ND	Pass	Methomyl	40	0.00800	0.0200	0.1	ND	Pass
Captan*	40	0.300	1.50	3	ND	Pass	Mevinphos	40	0.00800	0.0200	0.1	ND	Pass
Carbaryl	40	0.00800	0.100	0.5	ND	Pass	Myclobutanil	40	0.00800	0.0200	3	ND	Pass
Carbofuran	40	0.00800	0.0200	0.1	ND	Pass	Naled	40	0.00800	0.0500	0.5	ND	Pass
Chlorantraniliprole	40	0.00800	0.200	3	ND	Pass	Oxamyl	40	0.00800	0.100	0.5	ND	Pass
Chlordane*	40	0.0100	0.0500	0.1	ND	Pass	Paclobutrazol	40	0.00800	0.0200	0.1	ND	Pass
Chlorfenapyr*	40	0.0100	0.0500	0.1	ND	Pass	Parathion Methyl*	40	0.0100	0.0500	0.1	ND	Pass
Chloromequat chloride	40	0.00800	0.0200	3	ND	Pass	Pentachloronitrobenzene	40	0.0200	0.100	0.2	ND	Pass
Chlorpyrifos	40	0.00800	0.0200	0.1	ND	Pass	Permethrin	40	0.00800	0.0200	1	ND	Pass
Clofentezine	40	0.00800	0.0400	0.5	ND	Pass	Phosmet	40	0.00800	0.0200	0.2	ND	Pass
Coumaphos	40	0.00800	0.0200	0.1	ND	Pass	Piperonyl Butoxide	40	0.00800	0.600	3	ND	Pass
Cyfluthrin	40	0.00800	0.100	1	ND	Pass	Prallethrin	40	0.00800	0.0200	0.4	ND	Pass
Cypermethrin	40	0.00800	0.100	1	ND	Pass	Propiconazole	40	0.00800	0.0200	1	ND	Pass
Daminozide	40	0.00800	0.0200	0.1	ND	Pass	Propoxur	40	0.00800	0.0200	0.1	ND	Pass
Diazinon	40	0.00800	0.0200	0.2	ND	Pass	Pyrethrins	40	0.00800	0.100	1	ND	Pass
Dichlorvos	40	0.00800	0.0200	0.1	ND	Pass	Pyridaben	40	0.00800	0.0400	3	ND	Pass
Dimethoate	40	0.00800	0.0200	0.1	ND	Pass	Spinetoram	40	0.00800	0.0400	3	ND	Pass
Dimethomorph	40	0.00800	0.0400	3	ND	Pass	Spinosad	40	0.00800	0.0200	3	ND	Pass
Ethoprophos	40	0.00800	0.0200	0.1	ND	Pass	Spiromesifen	40	0.00800	0.0200	3	ND	Pass
Etofenprox	40	0.00800	0.0200	0.1	ND	Pass	Spirotetramat	40	0.00800	0.0200	3	ND	Pass
Etoxazole	40	0.00800	0.0200	1.5	ND	Pass	Spiroxamine	40	0.00800	0.0200	0.1	ND	Pass
Fenhexamid	40	0.00800	0.0200	3	ND	Pass	Tebuconazole	40	0.00800	0.0200	1	ND	Pass
Fenoxycarb	40	0.00800	0.0200	0.1	ND	Pass	Thiacloprid	40	0.00800	0.0200	0.1	ND	Pass
Fenpyroximate	40	0.00800	0.0200	2	ND	Pass	Thiamethoxam	40	0.00800	0.100	1	ND	Pass
Fipronil	40	0.00800	0.0200	0.1	ND	Pass	Trifloxystrobin	40	0.00800	0.0200	3	ND	Pass
Flonicamid	40	0.00800	0.0200	2	ND	Pass							

Weight: 0.49 ; Instrument Batch ID: 251017PMC

Date Tested: 10/19/2025

Pesticides method: TM-100 Pesticide Residue and Mycotoxin Analysis by LC-MSMS and GC-MSMS.

*Analytes tested by GC-MSMS

Total Contaminant Load: 0 ppm




 Daniel Vorisek
 Laboratory Director

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



This product has been tested by Florida Cannalytics, LLC, (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample, as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM.S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA, and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

Stigma Club Soda 10mg/16oz

Sample ID: 2510FLC0683.4458
 Strain: Stigma Club Soda

Matrix: Ingestible
 Type: Beverage

Total Sample Weight: 1 units; Batch: 470.337 g

Informational Use Only - Not For Regulatory Use

Received: 10/17/2025 Retail Batch Creation Date: Processed Cultivated
 Completed: 10/21/2025 09/18/2025 Minneapolis Minneapolis
 Batch#: STG70 Field Sampler One:
 Lot ID: STG70 Field Sampler Two:

Client
Stigma Inc
 Lic #: 1289
 Minneapolis

General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.

Residual Solvents

Analyte	Dilution	LOD	LOQ	Limit	Result	Status
		µg/g	µg/g	µg/g	µg/g	
1,1-Dichloroethene	1	0.500	1.00	8	ND	Pass
1,2-Dichloroethane	1	0.200	0.400	2	ND	Pass
Acetone	1	75.0	150	750	<LOD	Pass
Acetonitrile	1	6.00	12.0	60	<LOD	Pass
Benzene	1	0.100	0.200	1	ND	Pass
Butane	1	500	1000	5000	ND	Pass
Chloroform	1	0.200	0.400	2	ND	Pass
Ethanol	1	500	1000	5000	<LOD	Pass
Ethyl-Acetate	1	40.0	80.0	400	ND	Pass
Ethyl-Ether	1	50.0	100	500	ND	Pass
Ethylene Oxide	1	0.500	1.00	5	ND	Pass
Heptane	1	0.500	1.00	5000	ND	Pass
Hexane	1	15.0	25.0	250	ND	Pass
Isopropanol	1	50.0	100	500	<LOD	Pass
Methanol	1	25.0	50.0	250	ND	Pass
Methylene-Chloride	1	12.5	25.0	125	ND	Pass
Pentane	1	75.0	150	750	ND	Pass
Propane	1	500	1000	5000	ND	Pass
Toluene	1	15.0	30.0	150	ND	Pass
Trichloroethylene	1	0.500	1.00	25	ND	Pass
Xylenes	1	15.0	30.0	150	<LOD	Pass

Weight: 0.0464 ; Instrument Batch ID: 251017RSA

Date Tested: 10/18/2025
 Solvents method: TM110 - HS-GCMS Method for Residual Solvent Analysis in Cannabis Matrices




 Daniel Vorisek
 Laboratory Director

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



This product has been tested by Florida Cannalytics, LLC, (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample, as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM.S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA, and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.