

Stigma Club Soda 10mg THC/12oz

Sample ID: 2511FLC0715.4660

Strain: Stigma Club Soda

Matrix: Ingestible

Type: Beverage

Total Sample Weight: 1 units; Batch: 354.882 g

Received: 11/14/2025	Retail Batch Creation Date: 09/08/2025	Processed	Cultivated	Client
Completed: 11/24/2025		Minneapolis	Minneapolis	Stigma Inc
Batch#: STG76-01		Field Sampler One:		Lic. #: 1289
Lot ID: STG76-01		Field Sampler Two:		Minneapolis
General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.				



Summary

Test	Analyst ID / Prep ID	Prep Date/Time	Analyzed Date/Time	Result
Cannabinoids	51388 / 51388	11/17/2025 14:40	11/17/2025 17:39	Complete
Residual Solvents	51388 / 51388	11/17/2025 15:30	11/17/2025 21:09	Pass
Microbials	51399 / 51399	11/15/2025 11:15	11/18/2025 14:00	Pass
Mycotoxins	45114 / 45117	11/21/2025 11:13	11/22/2025 9:31	Pass
Pesticides LC	45114 / 45117	11/21/2025 11:13	11/22/2025 9:31	Pass
Pesticides GC	45114 / 45117	11/21/2025 11:13	11/22/2025 20:16	Pass
Heavy Metals	45113 / 45113	11/17/2025 10:00	11/17/2025 14:19	Pass

Cannabinoids

Complete

9.56 mg/container	ND	9.56 mg/container
Total THC	Total CBD	Total Cannabinoids
0.00270%	ND	0.00270%
Total THC	Total CBD	Total Cannabinoids

Analyte	Dilution	LOD	LOQ	Result	Result	Result
		mg/container	mg/container	mg/container	%	mg/unit
THCa	1	70.8	177	ND	ND	ND
Δ9-THC	1	0.354	0.354	9.56	0.00270	9.56
Δ8-THC	1	70.8	177	ND	ND	ND
THCVa	1	70.8	177	ND	ND	ND
THCV	1	70.8	177	ND	ND	ND
CBDa	1	70.8	177	ND	ND	ND
CBD	1	70.8	177	ND	ND	ND
CBDVa	1	70.8	177	ND	ND	ND
CBDV	1	70.8	177	ND	ND	ND
CBNa	1	70.8	177	ND	ND	ND
CBN	1	70.8	177	ND	ND	ND
CBGa	1	70.8	177	ND	ND	ND
CBG	1	70.8	177	ND	ND	ND
CBC	1	70.8	177	ND	ND	ND
CBL	1	70.8	177	ND	ND	ND
Total THC		9.56	0.00270	9.56		
Total CBD		ND	ND	ND		
Total CBN		NR	NR	NR		
Total		9.56	0.00270	9.56		

Weight: 354.882 ; Instrument Batch ID: 251117CPA

1 Container = 354.000g; 1 servings per container; 9.6 mg THC per container


Total CBD = [CBDA * 0.877] + CBD; Total THC = [THCA * 0.877] + d9THC; Cannabinoids

method: TM-111 Cannabinoid Potency Quantitation-By HPLC

Filth and foreign Material method: TM 107 Cannabis Foreign Matter Testing

Water Activity method: TM-106 Cannabis Water Activity-By HC2-AW Water Activity Meter

Moisture method: TM-105 Cannabis Moisture Analysis- By Lab Oven and Moisture Analyzer



 Daniel Vorisek
 Laboratory Director

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


This product has been tested by Florida Cannalytics, LLC (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

Stigma Club Soda 10mg THC/12oz

Sample ID: 2511FLC0715.4660

Strain: Stigma Club Soda

Matrix: Ingestible

Type: Beverage

Total Sample Weight: 1 units; Batch: 354.882 g

Received: 11/14/2025	Retail Batch Creation Date: 09/08/2025	Processed	Cultivated	Client
Completed: 11/24/2025		Minneapolis	Minneapolis	Stigma Inc
Batch#: STG76-01		Field Sampler One:		Lic. #: 1289
Lot ID: STG76-01		Field Sampler Two:		Minneapolis
General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.				

Microbials

Analyte	LOD	LOQ	Limit	Result	Status
Aspergillus flavus	CFU/g	CFU/g	CFU/g	CFU/g	Pass
Aspergillus fumigatus		0.9	Not Present in 1g	Not Present in 1g	Pass
Aspergillus niger		0.9	Not Present in 1g	Not Present in 1g	Pass
Aspergillus terreus		0.9	Not Present in 1g	Not Present in 1g	Pass
Salmonella spp.		0.9	Not Present in 1g	Not Present in 1g	Pass
Shiga Toxin E. Coli		0.9	Not Present in 1g	Not Present in 1g	Pass
Yeast & Mold	10,000	100,000	100,000	ND	Pass

Weight: 0.374 ; Instrument Batch ID: 251115MBA

Date Tested: 11/18/2025

Microbiology methods: TM-112 qPCR Microbiology Procedure; TM-101 Method for TYMC in Cannabis Matrices by plating; TM 114 for Aspergillus spp. plating; TM115 for Salmonella spp. plating; TM116 for E. Coli plating.

Aspergillus result is comprised of the four subspecies Flavus, Fumigatus, Niger, and Terreus.

LOD/LOQ for TYMC is based on plating methodology TM101.

Mycotoxins

Analyte	Dilution	LOD	LOQ	Limit	Result	Status
B1	20	0.0830	4.00	20	ND	Pass
B2	20	0.0830	4.00	20	ND	Pass
G1	20	0.0830	4.00	20	ND	Pass
G2	20	0.0830	4.00	20	ND	Pass
Total Aflatoxins	20	0.0830	4.00	20	ND	Pass
Ochratoxin A	20	0.0830	4.00	20	ND	Pass

Weight: 0.5049 ; Instrument Batch ID: 251121PMB

Date Tested: 11/22/2025

Mycotoxins method: TM 100 Pesticide Residue and Mycotoxin Analysis by LC-MSMS and GC-MSMS

Heavy Metals


Analyte	Dilution	LOD	LOQ	Limit	Result	Status
Arsenic	200	150	300	1500	ND	Pass
Cadmium	200	50.0	100	500	<LOD	Pass
Lead	200	50.0	100	500	ND	Pass
Mercury	200	300	600	3000	ND	Pass

Weight: 1 ; Instrument Batch ID: 251117HMA

Date Tested: 11/17/2025

Metals method: TM-104 Heavy Metal Analysis by ICP-MS

Total Contaminant Load: 0 ppm



 Daniel Vorisek
 Laboratory Director

This product has been tested by Florida Cannalytics, LLC (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM.S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: C=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


Stigma Club Soda 10mg THC/12oz

Sample ID: 2511FLC0715.4660

Strain: Stigma Club Soda

Matrix: Ingestible

Type: Beverage

Total Sample Weight: 1 units; Batch: 354.882 g

Received: 11/14/2025	Retail Batch Creation Date: 09/08/2025	Processed	Cultivated	Client
Completed: 11/24/2025		Minneapolis	Minneapolis	Stigma Inc
Batch#: STG76-01		Field Sampler One:		Lic. #: 1289
Lot ID: STG76-01		Field Sampler Two:		Minneapolis

General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.

Pesticides

Pass

Analyte	Dilution	LOD	LOQ	Limit	Result	Status	Analyte	Dilution	LOD	LOQ	Limit	Result	Status
		PPM	PPM	PPM					PPM	PPM	PPM		
Abamectin	40	0.00800	0.0200	0.3	ND	Pass	Fludioxonil	40	0.00800	0.0200	3	ND	Pass
Acephate	40	0.00800	0.0200	3	ND	Pass	Hexythiazox	40	0.00800	0.0200	2	ND	Pass
Acequinocyl	40	0.00800	0.0200	2	ND	Pass	Imazalil	40	0.00800	0.0200	0.1	ND	Pass
Acetamiprid	40	0.00800	0.0200	3	ND	Pass	Imidacloprid	40	0.00800	0.0800	3	ND	Pass
Aldicarb	40	0.00800	0.0200	0.1	ND	Pass	Kresoxim Methyl	40	0.00800	0.0200	1	ND	Pass
Azoxystrobin	40	0.00800	0.0200	3	ND	Pass	Malathion	40	0.00800	0.0400	2	ND	Pass
Bifenazate	40	0.00800	0.0200	3	ND	Pass	Metalaxylyl	40	0.00800	0.0200	3	ND	Pass
Bifenthrin	40	0.00800	0.0200	0.5	ND	Pass	Methiocarb	40	0.00800	0.0200	0.1	ND	Pass
Boscalid	40	0.00800	0.0200	3	ND	Pass	Methomyl	40	0.00800	0.0200	0.1	ND	Pass
Captan*	40	0.300	1.50	3	ND	Pass	Mevinphos	40	0.00800	0.0200	0.1	ND	Pass
Carbaryl	40	0.00800	0.100	0.5	ND	Pass	Myclobutanil	40	0.00800	0.0200	3	ND	Pass
Carbofuran	40	0.00800	0.0200	0.1	ND	Pass	Naled	40	0.00800	0.0500	0.5	ND	Pass
Chlorantraniliprole	40	0.00800	0.200	3	ND	Pass	Oxamyl	40	0.00800	0.100	0.5	ND	Pass
Chlordane*	40	0.0100	0.0500	0.1	ND	Pass	Paclobutrazol	40	0.00800	0.0200	0.1	ND	Pass
Chlorfenapyr*	40	0.0100	0.0500	0.1	ND	Pass	Parathion Methyl*	40	0.0100	0.0500	0.1	ND	Pass
Chlorimequat chloride	40	0.00800	0.0200	3	ND	Pass	Pentachloronitrobenzene	40	0.0200	0.100	0.2	ND	Pass
Chlorpyrifos	40	0.00800	0.0200	0.1	ND	Pass	Permethrin	40	0.00800	0.0200	1	ND	Pass
Clofentezine	40	0.00800	0.0400	0.5	ND	Pass	Phosmet	40	0.00800	0.0200	0.2	ND	Pass
Coumaphos	40	0.00800	0.0200	0.1	ND	Pass	Piperonyl Butoxide	40	0.00800	0.600	3	ND	Pass
Cyfluthrin	40	0.00800	0.100	1	ND	Pass	Prallethrin	40	0.00800	0.0200	0.4	ND	Pass
Cypermethrin	40	0.00800	0.100	1	ND	Pass	Propiconazole	40	0.00800	0.0200	1	ND	Pass
Daminozide	40	0.00800	0.0200	0.1	ND	Pass	Propoxur	40	0.00800	0.0200	0.1	ND	Pass
Diazinon	40	0.00800	0.0200	0.2	ND	Pass	Pyrethrins	40	0.00800	0.100	1	ND	Pass
Dichlorvos	40	0.00800	0.0200	0.1	ND	Pass	Pyridaben	40	0.00800	0.0400	3	ND	Pass
Dimethoate	40	0.00800	0.0200	0.1	ND	Pass	Spinetoram	40	0.00800	0.0400	3	ND	Pass
Dimethomorph	40	0.00800	0.0400	3	ND	Pass	Spinosad	40	0.00800	0.0200	3	ND	Pass
Ethoprophos	40	0.00800	0.0200	0.1	ND	Pass	Spiromesifen	40	0.00800	0.0200	3	ND	Pass
Etofenprox	40	0.00800	0.0200	0.1	ND	Pass	Spirotetramat	40	0.00800	0.0200	3	ND	Pass
Etoxazole	40	0.00800	0.0200	1.5	ND	Pass	Spiroxamine	40	0.00800	0.0200	0.1	ND	Pass
Fenhexamid	40	0.00800	0.0200	3	ND	Pass	Tebuconazole	40	0.00800	0.0200	1	ND	Pass
Fenoxy carb	40	0.00800	0.0200	0.1	ND	Pass	Thiacloprid	40	0.00800	0.0200	0.1	ND	Pass
Fenpyroximate	40	0.00800	0.0200	2	ND	Pass	Thiamethoxam	40	0.00800	0.100	1	ND	Pass
Fipronil	40	0.00800	0.0200	0.1	ND	Pass	Trifloxystrobin	40	0.00800	0.0200	3	ND	Pass
Flonicamid	40	0.00800	0.0200	2	ND	Pass							

Weight: 0.5049 ; Instrument Batch ID: 251121PMB

Date Tested: 11/22/2025

Pesticides method: TM-100 Pesticide Residue and Mycotoxin Analysis by LC-MSMS and GC-MSMS.

*Analytes tested by GC-MSMS

Total Contaminant Load: 0 ppm



 Daniel Vorisek
 Laboratory Director

 Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com


This product has been tested by Florida Cannalytics, LLC (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: C=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

Stigma Club Soda 10mg THC/12oz

Sample ID: 2511FLC0715.4660

Strain: Stigma Club Soda

Matrix: Ingestible

Type: Beverage

Total Sample Weight: 1 units; Batch: 354.882 g

Received: 11/14/2025	Retail Batch Creation Date: 09/08/2025	Processed	Cultivated	Client
Completed: 11/24/2025		Minneapolis	Minneapolis	Stigma Inc
Batch#: STG76-01		Field Sampler One:		Lic. #: 1289
Lot ID: STG76-01		Field Sampler Two:		Minneapolis
General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.				

Residual Solvents

Pass

Analyte	Dilution	LOD	LOQ	Limit	Result	Status
1,1-Dichloroethene	1	0.500	1.00	8	ND	Pass
1,2-Dichloroethane	1	0.200	0.400	2	ND	Pass
Acetone	1	75.0	150	750	ND	Pass
Acetonitrile	1	6.00	12.0	60	ND	Pass
Benzene	1	0.100	0.200	1	ND	Pass
Butane	1	500	1000	5000	ND	Pass
Chloroform	1	0.200	0.400	2	ND	Pass
Ethanol	1	500	1000	5000	<LOD	Pass
Ethyl-Acetate	1	40.0	80.0	400	ND	Pass
Ethyl-Ether	1	50.0	100	500	ND	Pass
Ethylene Oxide	1	0.500	1.00	5	ND	Pass
Heptane	1	0.500	1.00	5000	ND	Pass
Hexane	1	15.0	25.0	250	<LOD	Pass
Isopropanol	1	50.0	100	500	<LOD	Pass
Methanol	1	25.0	50.0	250	ND	Pass
Methylene-Chloride	1	12.5	25.0	125	ND	Pass
Pentane	1	75.0	150	750	ND	Pass
Propane	1	500	1000	5000	ND	Pass
Toluene	1	15.0	30.0	150	ND	Pass
Trichloroethylene	1	0.500	1.00	25	ND	Pass
Xylenes	1	15.0	30.0	150	ND	Pass

Cannabis and Hemp Testing You Can Depend On

Weight: 0.0529 ; Instrument Batch ID: 251117RSA

Date Tested: 11/17/2025

Solvents method: TM110 - HS-GC/MS Method for Residual Solvent Analysis in Cannabis Matrices



 Daniel Vorisek
 Laboratory Director

This product has been tested by Florida Cannalytics, LLC (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM-S-106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com
