

## Stigma Black Cherry Seltzer 10mg/16oz

Sample ID: 2512FLC0764.4939  
 Strain: Black Cherry Seltzer

Matrix: Ingestible  
 Type: Beverage

Total Sample Weight: 1 units; Batch: 470.337 g

Received: 12/17/2025

Completed: 12/23/2025 12/11/2025

Batch#: STG114-01

Lot ID: STG114-01

General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.

Retail Batch Creation Date:

Processed

Cultivated

Client

0

0

**Stigma Inc**

Field Sampler One:

Lic. #: 1289

Field Sampler Two:

Minneapolis



### Summary

| Test              | Analyst ID / Prep ID | Prep Date/Time   | Analyzed Date/Time | Result   |
|-------------------|----------------------|------------------|--------------------|----------|
| Cannabinoids      | 51388 / 51388        | 12/18/2025 11:50 | 12/18/2025 13:47   | Complete |
| Residual Solvents | 51388 / 51388        | 12/18/2025 10:20 | 12/19/2025 0:43    | Pass     |
| Microbials        | 45110 / 45110        | 12/17/2025 13:10 | 12/20/2025 15:00   | Pass     |
| Mycotoxins        | 45117 / 45117        | 12/18/2025 15:50 | 12/19/2025 12:37   | Pass     |
| Pesticides LC     | 45117 / 45117        | 12/18/2025 15:50 | 12/19/2025 12:37   | Pass     |
| Pesticides GC     | 45114 / 45117        | 12/18/2025 15:50 | 12/19/2025 14:05   | Pass     |
| Heavy Metals      | 45113 / 45113        | 12/18/2025 9:55  | 12/18/2025 14:28   | Pass     |

### Cannabinoids

### Complete

|                                |                 |                                         |
|--------------------------------|-----------------|-----------------------------------------|
| 9.41 mg/container<br>Total THC | ND<br>Total CBD | 9.41 mg/container<br>Total Cannabinoids |
| 0.00200%<br>Total THC          | ND<br>Total CBD | 0.00200%<br>Total Cannabinoids          |

| Analyte   | Dilution | LOD<br>mg/container | LOQ<br>mg/container | Result<br>mg/container | Result<br>% | Result<br>mg/unit |
|-----------|----------|---------------------|---------------------|------------------------|-------------|-------------------|
| THCa      | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| Δ9-THC    | 1        | 4.70                | 4.70                | 9.41                   | 0.00200     | 9.41              |
| Δ8-THC    | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| THCVa     | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| THCV      | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBDa      | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBD       | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBDVa     | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBDV      | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBNa      | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBN       | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBGa      | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBG       | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBC       | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| CBL       | 1        | 94.1                | 235                 | ND                     | ND          | ND                |
| Total THC |          |                     |                     | 9.41                   | 0.00200     | 9.41              |
| Total CBD |          |                     |                     | ND                     | ND          | ND                |
| Total CBN |          |                     |                     | NR                     | NR          | NR                |
| Total     |          |                     |                     | 9.41                   | 0.00200     | 9.41              |

Weight: 470.337 ; Instrument Batch ID: 251218CPA

1 Container = 470.340g; 1 servings per container; 9.4 mg THC per container  
 Total CBD = [CBDA \* 0.877] + CBD; Total THC = [THCA \* 0.877] + d9THC; Cannabinoids  
 method: TM-111 Cannabinoid Potency Quantitation-By HPLC  
 Filth and foreign Material method: TM 107 Cannabis Foreign Matter Testing  
 Water Activity method: TM-106 Cannabis Water Activity-By HC2-AW Water Activity Meter  
 Moisture method: TM-105 Cannabis Moisture Analysis- By Lab Oven and Moisture Analyzer



  
 Daniel Vorjsek  
 Laboratory Director

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Florida Cannalytics, LLC, (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample, as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM.S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA, and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

## Stigma Black Cherry Seltzer 10mg/16oz

Sample ID: 2512FLC0764.4939  
 Strain: Black Cherry Seltzer

Matrix: Ingestible  
 Type: Beverage

Total Sample Weight: 1 units; Batch: 470.337 g

Received: 12/17/2025

Completed: 12/23/2025 12/11/2025

Batch#: STG114-01

Lot ID: STG114-01

General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.

Retail Batch Creation Date:

Processed

Cultivated

Client

0

0

Stigma Inc

Field Sampler One:

Lic. #: 1289

Field Sampler Two:

Minneapolis

## Microbials

Pass

| Analyte               | LOD<br>CFU/g | LOQ<br>CFU/g | Limit<br>CFU/g | Result<br>CFU/g   | Status |
|-----------------------|--------------|--------------|----------------|-------------------|--------|
| Aspergillus flavus    |              |              | 0.9            | Not Present in 1g | Pass   |
| Aspergillus fumigatus |              |              | 0.9            | Not Present in 1g | Pass   |
| Aspergillus niger     |              |              | 0.9            | Not Present in 1g | Pass   |
| Aspergillus terreus   |              |              | 0.9            | Not Present in 1g | Pass   |
| Salmonella SPP        |              |              | 0.9            | Not Present in 1g | Pass   |
| Shiga Toxin E. Coli   |              |              | 0.9            | Not Present in 1g | Pass   |
| Yeast & Mold          | 10.000       | 100.000      | 100000         | ND                | Pass   |

Weight: 0.389 ; Instrument Batch ID: 251217MBA

Date Tested: 12/20/2025

Microbiology methods: TM-112 qPCR Microbiology Procedure; TM-101 Method for TYMC in Cannabis Matrices by plating; TM 114 for Aspergillus spp. plating; TM115 for

Salmonella spp. plating; TM116 for E. Coli plating.

Aspergillus result is comprised of the four subspecies Flavus, Fumigatus, Niger, and Terreus.

LOD/LOQ for TYMC is based on plating methodology TM101.

## Mycotoxins

Pass

| Analyte          | Dilution | LOD<br>PPB | LOQ<br>PPB | Limit<br>PPB | Result<br>PPB | Status |
|------------------|----------|------------|------------|--------------|---------------|--------|
| B1               | 20       | 0.0830     | 4.00       | 20           | ND            | Pass   |
| B2               | 20       | 0.0830     | 4.00       | 20           | ND            | Pass   |
| G1               | 20       | 0.0830     | 4.00       | 20           | ND            | Pass   |
| G2               | 20       | 0.0830     | 4.00       | 20           | ND            | Pass   |
| Total Aflatoxins | 20       | 0.0830     | 4.00       | 20           | ND            | Pass   |
| Ochratoxin A     | 20       | 0.0830     | 4.00       | 20           | ND            | Pass   |

Weight: 0.4951 ; Instrument Batch ID: 251218PMC

Date Tested: 12/19/2025

Mycotoxins method: TM 100 Pesticide Residue and Mycotoxin Analysis by LC-MSMS and GC-MSMS

## Heavy Metals

Pass

| Analyte | Dilution | LOD<br>PPB | LOQ<br>PPB | Limit<br>PPB | Result<br>PPB | Status |
|---------|----------|------------|------------|--------------|---------------|--------|
| Arsenic | 200      | 150        | 300        | 1500         | ND            | Pass   |
| Cadmium | 200      | 50.0       | 100        | 500          | <LOD          | Pass   |
| Lead    | 200      | 50.0       | 100        | 500          | <LOD          | Pass   |
| Mercury | 200      | 300        | 600        | 3000         | ND            | Pass   |

Weight: 1 ; Instrument Batch ID: 251218HMA

Date Tested: 12/18/2025

Metals method: TM-104 Heavy Metal Analysis by ICP-MS

Total Contaminant Load: 0 ppm



  
 Daniel Vorjsek  
 Laboratory Director

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Florida Cannalytics, LLC, (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample, as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM.S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA, and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

## Stigma Black Cherry Seltzer 10mg/16oz

Sample ID: 2512FLC0764.4939  
 Strain: Black Cherry Seltzer

Matrix: Ingestible  
 Type: Beverage

Total Sample Weight: 1 units; Batch: 470.337 g

Received: 12/17/2025 Retail Batch Creation Date:  
 Completed: 12/23/2025 12/11/2025

Batch#: STG114-01

Lot ID: STG114-01

General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.

Processed: 0  
 Cultivated: 0

Field Sampler One:

Field Sampler Two:

Client:  
**Stigma Inc**

Lic #: 1289

Minneapolis

## Pesticides

Pass

| Analyte               | Dilution | LOD     | LOQ    | Limit | Result | Status | Analyte                 | Dilution | LOD     | LOQ    | Limit | Result | Status |
|-----------------------|----------|---------|--------|-------|--------|--------|-------------------------|----------|---------|--------|-------|--------|--------|
|                       |          | PPM     | PPM    | PPM   | PPM    |        |                         |          | PPM     | PPM    | PPM   | PPM    |        |
| Abamectin             | 40       | 0.00800 | 0.0200 | 0.3   | ND     | Pass   | Fludioxonil             | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   |
| Acephate              | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   | Hexythiazox             | 40       | 0.00800 | 0.0200 | 2     | ND     | Pass   |
| Acequinocyl           | 40       | 0.00800 | 0.0200 | 2     | ND     | Pass   | Imazalil                | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   |
| Acetamiprid           | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   | Imidacloprid            | 40       | 0.00800 | 0.0800 | 3     | ND     | Pass   |
| Aldicarb              | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Kresoxim Methyl         | 40       | 0.00800 | 0.0200 | 1     | ND     | Pass   |
| Azoxystrobin          | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   | Malathion               | 40       | 0.00800 | 0.0400 | 2     | ND     | Pass   |
| Bifenazate            | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   | Metalaxyl               | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   |
| Bifenthrin            | 40       | 0.00800 | 0.0200 | 0.5   | ND     | Pass   | Methiocarb              | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   |
| Boscalid              | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   | Methomyl                | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   |
| Captan*               | 40       | 0.300   | 1.50   | 3     | ND     | Pass   | Mevinphos               | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   |
| Carbaryl              | 40       | 0.00800 | 0.100  | 0.5   | ND     | Pass   | Myclobutanil            | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   |
| Carbofuran            | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Naled                   | 40       | 0.00800 | 0.0500 | 0.5   | ND     | Pass   |
| Chlorantraniliprole   | 40       | 0.00800 | 0.200  | 3     | ND     | Pass   | Oxamyl                  | 40       | 0.00800 | 0.100  | 0.5   | ND     | Pass   |
| Chlordane*            | 40       | 0.0100  | 0.0500 | 0.1   | ND     | Pass   | Paclobutrazol           | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   |
| Chlorfenapyr*         | 40       | 0.0100  | 0.0500 | 0.1   | ND     | Pass   | Parathion Methyl*       | 40       | 0.0100  | 0.0500 | 0.1   | ND     | Pass   |
| Chloromequat chloride | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   | Pentachloronitrobenzene | 40       | 0.0200  | 0.100  | 0.2   | ND     | Pass   |
| Chlorpyrifos          | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Permethrin              | 40       | 0.00800 | 0.0200 | 1     | ND     | Pass   |
| Clofentezine          | 40       | 0.00800 | 0.0400 | 0.5   | ND     | Pass   | Phosmet                 | 40       | 0.00800 | 0.0200 | 0.2   | ND     | Pass   |
| Coumaphos             | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Piperonyl Butoxide      | 40       | 0.00800 | 0.600  | 3     | ND     | Pass   |
| Cyfluthrin            | 40       | 0.00800 | 0.100  | 1     | ND     | Pass   | Prallethrin             | 40       | 0.00800 | 0.0200 | 0.4   | ND     | Pass   |
| Cypermethrin          | 40       | 0.00800 | 0.100  | 1     | ND     | Pass   | Propiconazole           | 40       | 0.00800 | 0.0200 | 1     | ND     | Pass   |
| Daminozide            | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Propoxur                | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   |
| Diazinon              | 40       | 0.00800 | 0.0200 | 0.2   | ND     | Pass   | Pyrethrins              | 40       | 0.00800 | 0.100  | 1     | ND     | Pass   |
| Dichlorvos            | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Pyridaben               | 40       | 0.00800 | 0.0400 | 3     | ND     | Pass   |
| Dimethoate            | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Spinetoram              | 40       | 0.00800 | 0.0400 | 3     | ND     | Pass   |
| Dimethomorph          | 40       | 0.00800 | 0.0400 | 3     | ND     | Pass   | Spinosad                | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   |
| Ethoprophos           | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Spiromesifen            | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   |
| Etofenprox            | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Spirotetramat           | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   |
| Etoxazole             | 40       | 0.00800 | 0.0200 | 1.5   | ND     | Pass   | Spiroxamine             | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   |
| Fenhexamid            | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   | Tebuconazole            | 40       | 0.00800 | 0.0200 | 1     | ND     | Pass   |
| Fenoxycarb            | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Thiacloprid             | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   |
| Fenpyroximate         | 40       | 0.00800 | 0.0200 | 2     | ND     | Pass   | Thiamethoxam            | 40       | 0.00800 | 0.100  | 1     | ND     | Pass   |
| Fipronil              | 40       | 0.00800 | 0.0200 | 0.1   | ND     | Pass   | Trifloxystrobin         | 40       | 0.00800 | 0.0200 | 3     | ND     | Pass   |
| Flonicamid            | 40       | 0.00800 | 0.0200 | 2     | ND     | Pass   |                         |          |         |        |       |        |        |

Weight: 0.4951 ; Instrument Batch ID: 251218PMC

Date Tested: 12/19/2025

Pesticides method: TM-100 Pesticide Residue and Mycotoxin Analysis by LC-MSMS and GC-MSMS.

\*Analytes tested by GC-MSMS

Total Contaminant Load: 0 ppm



*[Signature]*  
 Daniel Vorisek  
 Laboratory Director

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Florida Cannalytics, LLC, (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample, as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM.S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA, and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.

## Stigma Black Cherry Seltzer 10mg/16oz

Sample ID: 2512FLC0764.4939  
 Strain: Black Cherry Seltzer

Received: 12/17/2025    Retail Batch Creation Date: Processed    Cultivated  
 Completed: 12/23/2025    12/11/2025    0    0  
 Batch#: STG114-01    Field Sampler One:  
 Lot ID: STG114-01    Field Sampler Two:

Client  
**Stigma Inc**  
 Lic #: 1289  
 Minneapolis

Matrix: Ingestible  
 Type: Beverage

Total Sample Weight: 1 units; Batch: 470.337 g    General Sample Notes: Date received reflects date of field-sampling at the listed CMTL location, under ambient environmental conditions, unless otherwise noted.

## Residual Solvents

Pass

| Analyte            | Dilution | LOD   | LOQ   | Limit | Result | Status |
|--------------------|----------|-------|-------|-------|--------|--------|
|                    |          | µg/g  | µg/g  | µg/g  | µg/g   |        |
| 1,1-Dichloroethene | 1        | 0.500 | 1.00  | 8     | ND     | Pass   |
| 1,2-Dichloroethane | 1        | 0.200 | 0.400 | 2     | ND     | Pass   |
| Acetone            | 1        | 75.0  | 150   | 750   | ND     | Pass   |
| Acetonitrile       | 1        | 6.00  | 12.0  | 60    | ND     | Pass   |
| Benzene            | 1        | 0.100 | 0.200 | 1     | ND     | Pass   |
| Butane             | 1        | 500   | 1000  | 5000  | ND     | Pass   |
| Chloroform         | 1        | 0.200 | 0.400 | 2     | ND     | Pass   |
| Ethanol            | 1        | 500   | 1000  | 5000  | ND     | Pass   |
| Ethyl-Acetate      | 1        | 40.0  | 80.0  | 400   | ND     | Pass   |
| Ethyl-Ether        | 1        | 50.0  | 100   | 500   | ND     | Pass   |
| Ethylene Oxide     | 1        | 0.500 | 1.00  | 5     | ND     | Pass   |
| Heptane            | 1        | 0.500 | 1.00  | 5000  | ND     | Pass   |
| Hexane             | 1        | 15.0  | 25.0  | 250   | ND     | Pass   |
| Isopropanol        | 1        | 50.0  | 100   | 500   | ND     | Pass   |
| Methanol           | 1        | 25.0  | 50.0  | 250   | ND     | Pass   |
| Methylene-Chloride | 1        | 12.5  | 25.0  | 125   | ND     | Pass   |
| Pentane            | 1        | 75.0  | 150   | 750   | ND     | Pass   |
| Propane            | 1        | 500   | 1000  | 5000  | ND     | Pass   |
| Toluene            | 1        | 15.0  | 30.0  | 150   | ND     | Pass   |
| Trichloroethylene  | 1        | 0.500 | 1.00  | 25    | ND     | Pass   |
| Xylenes            | 1        | 15.0  | 30.0  | 150   | <LOD   | Pass   |

Weight: 0.009 ; Instrument Batch ID: 251218RSA

Date Tested: 12/19/2025  
 Solvents method: TM110 – HS-GCMS Method for Residual Solvent Analysis in Cannabis Matrices



  
 Daniel Vorisek  
 Laboratory Director

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Florida Cannalytics, LLC, (FLC), using validated testing methodologies and an accredited quality management system as required by the state of Florida. Results are only valid for and reflective of the exact sample, as collected, received, and analyzed by the laboratory at the time of final reporting. FLC makes no claims as to the efficacy, safety or other risks associated with any detection or non-detection levels of any compounds reported herein. Sampling conducted pursuant to SAM.S.106. The laboratory's measurement of uncertainty (MU) for its sampling and testing methodologies are available upon request. MU is not considered when evaluating conformity, unless expressly documented on the final testing report. Samples tested for R&D purposes only are taken "as is" and are reported for "Informational Use Only - Not for Regulatory Use". This Certificate shall not be reproduced except in full without the written approval of FLC. Definitions: IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NR=Not Reported, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably detected (LOD) and measured (LOQ) by an analytical procedure. RPD=Relative Percent Difference, reproducibility of two measurements. Action Levels defined by the State of Florida based on pre-determined thresholds for human safety for consumption and/or inhalation. Unless otherwise indicated, issuance of this COA, and listed results, were reviewed, verified, and authorized by the Lab Director or an approved designated representative. Issuance of this final report is authored for release by the Laboratory Director. Samples securely stored in a manner to prevent degradation if not analyzed immediately upon accessioning and intake within the laboratory.